Journal of Materials
Index to Volume 6
1971

Number	Month of Issue	Pages
1	March	1–250
2	June	251–500
3	September	501–752
4	December	753–1042

A

Abrasion resistance
Gouging abrasion test for materials used in ore and rock crushing: part II—effect of metallurgical variables on gouging wear (Borik and Scholz), September, 590

Adepegba, Dotun: Test for validity of indirect tension tests of stabilized soils, September, 555

Adhesives
Effect of radiation on the adhesive properties of epoxy-metal and epoxy-glass adhints (Tilmans and Krokosky), June, 483
Effect of radiation on some mechanical properties of an epoxy system (Tilmans and Krokosky), June, 465

Ages, D. T. and Bowen, B. C.: Quantitative analysis of nitrocellulose alkyd lacquers by infrared spectroscopy, December, 766

Aging (metallurgy)
Effects of processing and heat treatment on the properties of two-phase Fe-Cr-Mn-Ni alloys (Snape and Larson), December, 911
Influence of alloy additions on quenched and aged high strength nickel steels (DePaul), December, 965

Aitcin, P. C.: Density and porosity measurements of solids, June, 282

Alkyd resins
Quantitative analysis of nitrocellulose alkyd lacquers by infrared spectroscopy (Ages and Bowen), December, 766

Aluminum alloys
Creep rupture testing of aluminum alloys to 100,000 hours (Wilson, Freeman, and Voorhees), December, 981
Effect of strain rate on yield strength, tensile strength, and elongation of three aluminum alloys (Lindholm, Bessey, and Smith), March, 119
New idea on the moduli of elasticity of aluminum alloys (Kaufman, Brownhill, Davies, and Babilon), December, 1001

Asphalts
New method for determining softening points of pitches, asphalts, and similar materials (McHenry), March, 30

Austenitizing
Properties and microstructure of 10Ni-2Cr-1Mo-8Co steel (Cox and Rosenstein), September, 738

B

Babilon, C. F.: *see* Kaufman, J. G., Brownhill, D. J., Davies, R. E., and Babilon, C. F.

Banerjee, B. R.: *see* Cooke, F. W., Damiano, V. V., London, G. J., Conrad, H., and Banerjee, B. R.

Barnett, A. M.: *see* Orchard, D. F. and Barnett, A. M.

Bazergui, A.: *see* Thang, B. Q., Dubuc, J., Bazergui, A., and Biron, A.

Bearing tests
Load movement behavior of long piles (Hanna and Tan), September, 532

Benedyk, J. C., Stawarz, D., and Parikh, N. M.: Method for increasing elongation values for ferrous and nonferrous sheet metals, March, 16

Ben-Shalom, Asher: *see* Kassiff, Gabriel and Ben-Shalom, Asher

Berg, C. A., Melton, R., Kalnin, I., and Dunn, T.: Fracture in the grip section of fiber reinforced, reduced cross section tension specimens, September, 683

Beryllium
Structure property relations in beryllium sheet (Cooke, Damiano, London, Conrad, and Banerjee), June 403

XUM

Bessey, R. L.: *see* Lindholm, U. S., Bessey, R. L., and Smith, G. V.
Biaxial stresses
Biaxial stress-strain behavior of fabrics for air supported tents (Skelton), September, 656
Biron, A.: *see* Thang, B. Q., Dubuc, J., Bazergui, A., and Biron, A.
Bolling, N. B.: *see* Browne, F. P. and Bolling, N. B.
Bolting
Measuring stress relaxation by a compliance method (Manjoine), June, 253
Bones
Torsional properties of equine metacarpus (Bynum, Ray, Ledbetter, and Boyd), March, 234
Borik, F. and Scholz, W. G.: Gouging abrasion test for materials used in ore and rock crushing: part II—effect of metallurgical variables on gouging wear, September, 590
Borik, F. and Sponseller, D. L.: Gouging abrasion test for materials used in ore and rock crushing: part I—description of the test, September, 576
Bowen, B. C.: *see* Ages, D. T. and Bowen, B. C.
Boyd, C. L.: *see* Bynum, D., Jr., Ray, D. R., Ledbetter, W. B., and Boyd, C. L.
Brady, C. H.: *see* Ogburn, Fielding, Shives, T. R., and Brady, C. H.
Bricks
Relation of unrestrained compressive strength of brick to strength of masonry (Watstein), June, 304
Brittleness
Comparing tensile and flexural strengths of a brittle material (Platts and Kirchner), March, 48
Influence of platen friction on the fracture of brittle materials (Farrar), December, 889
Measuring the tensile strength of a brittle material using a thermal contraction loading device (Kirchner and Rishel), March, 39
Browne, F. P. and Bolling, N. B.: New technique for analysis of chlorides in mortar, September, 524
Brownhill, D. J.: *see* Kaufman, J. G., Brownhill, D. J., Davies, R. E., and Babilon, C. F.
Bynum, D., Jr., Ray, D. R., Ledbetter, W. B., and Boyd, C. L.: Torsional properties of equine metacarpus, March, 234

C

Calcium oxides
Lime stabilized clay foundation (Watt and Machibroda), June, 453
Carbon
Size and geometry of granular carbon aggregates (Kerns and Huffstutler), June, 295
Carette, G. G.: *see* Zoldners, N. G. and Carette, G. G.
Cast iron
Gouging abrasion test for materials used in ore and rock crushing: part II—effect of metallurgical variables on gouging wear (Borik and Scholz), September, 590
Cements
Accelerated strength determination on cement using miniature test cylinders (Zoldners and Carette), March, 82
Influence of washing on properties of standard Ottawa testing sand (Schatzlein and Reitz), March, 218
Physical aspects of the setting of portland cement concrete (Popovics), March, 150
Predictions of the effect of fly ash in portland cement mortar and concrete (Minnick, Webster, and Purdy), March, 163
Relaxation between creep and creep recovery in cement paste (Jessop, Ward, and Neville), March, 188
Ceramics
Comparing tensile and flexural strengths of a brittle material (Platts and Kirchner), March, 48
Measuring the tensile strength of a brittle material using a thermal contraction loading device (Kirchner and Rishel), March, 39
Chin, G. Y.: *see* Hart, R. R., Chin, G. Y., and Wonsiewicz, B. C.
Chlorides
New technique for analysis of chlorides in mortar (Browne and Bolling), September, 524
Clark, W. G., Jr.: Effect of temperature and section size on fatigue crack growth in pressure vessel steel, March, 134
Clays
Apparatus for measuring swell potential under controlled moisture intake (Kassiff and Ben-Shalom), March, 3

Lime stabilized clay foundation (Watt and Machibroda), June, 453
Uniformity of specimens of a compacted clay (Gau and Olson), December, 874
Coatings
Metal-metal oxide reactions (Starr), March, 105
Coffin, L. F., Jr.: Note on low cycle fatigue laws, June, 388
Cold working
Critical cold work for age hardening in three commercial copper alloys (Hart, Chin, and Wonsiewicz), December, 1017
Color
Color difference and color tolerance evaluation problems and outlook (Friele), December, 755
Compressive strength
Accelerated strength determination on cement using miniature test cylinders (Zoldners and Carette), March, 82
Relation of unrestrained compressive strength of brick to strength of masonry (Watstein), June, 304
Concretes
Influence of platen friction on the fracture of brittle materials (Farrar), December, 889
Electrocuring of concrete test specimens (Orchard and Barnett), September, 617
New technique for analysis of chlorides in mortar (Browne and Bolling), September, 524
Nuclear methods for determining the water content and unit weight of fresh concrete (Lepper and Rodgers), December, 826
Physical aspects of the setting of portland cement concrete (Popovics), March, 150
Predictions of the effect of fly ash in portland cement mortar and concrete (Minnick, Webster, and Purdy), March, 163
Water retention efficiency of membrane curing compounds (Leitch and Laycraft), September, 606
Conrad, H.: *see* Cooke, F. W., Damiano, V. V., London, G. J., Conrad, H., and Banerjee, B. R.
Cooke, F. W., Damiano, V. V., London, G. J., Conrad, H., and Banerjee, B. R.: Structure property relations in beryllium sheet, June, 403
Copper alloys
Critical cold work for age hardening in three commercial copper alloys (Hart, Chin, and Wonsiewicz), December, 1017
Effect of extreme cold rolling on the stress relaxation characteristics of CDA copper alloy 510 strip (Fox), June, 422
Copper steels
Fatigue properties of copper bearing steels (Le May), June, 436
Corrosion fatigue
Corrosion fatigue crack growth rate behavior above and below K_{Isce} in steels (Gallagher), December, 941
Cox, T. B. and Rosenstein, A. H.: Properties and microsctructure of 10Ni-2Cr-1Mo-8Co steel, September, 738
Cracking (fracturing)
Effects of processing and heat treatment on the properties of two-phase Fe-Cr-Mn-Ni alloys (Snape and Larson), December, 911
Crack propagation
Compliance method for crack growth studies at elevated temperatures (McHenry), December, 862
Effect of temperature and section size on fatigue crack growth in pressure vessel steel (Clark), March, 134
Creep properties
Creep rupture testing of aluminum alloys to 100,000 hours (Wilson, Freeman, and Voorhees), December, 981
Relation between creep and creep recovery in cement paste (Jessop, Ward, and Neville), March, 188
Room temperature creep in Ti-6A1-4V (Reimann), December, 926
Stress relaxation as a source of dimensional instability (Marschall and Maringer), June, 374
Creep rupture tests
Creep rupture testing of aluminum alloys to 100,000 hours (Wilson, Freeman, and Voorhees), December, 981
Crushing
Gouging abrasion test for materials used in ore and rock crushing: part II—effect of metallurgical variables on gouging wear (Borik and Scholz), September, 590
Curing
Electrocuring of concrete test specimens (Orchard and Barnett), September, 617

XUM

Physical aspects of the setting of portland cement concrete (Popovics), March, 150
Cyclic loads
Effect of temperature and section size on fatigue crack growth in pressure vessel steel (Clark), March, 134
Fatigue testing techniques for conditions of biaxial stress, stress concentration, and pure bending (Topper, Havard, Gowda, and Jhansale), December, 842

D

Damage
Cumulative fatigue damage under strain controlled conditions (Thang, Dubuc, Bazergui, and Biron), September, 718
Damiano, V. V.: *see* Cooke, F. W., Damiano, V. V., London, G. J., Conrad, H., and Banerjee, B. R.
Davies, R. E.: *see* Kaufman, J. G., Brownhill, D. J., Davies, R. E., and Babilon, C. F.
Deep drawing
Method for increasing elongation values for ferrous and nonferrous sheet metals (Benedyk, Stawarz, and Parikh), March, 16
DePaul, R. A.: Influence of alloy additions on quenched and aged high strength nickel steels, December, 965
Dimensional stability
Stress relaxation as a source of dimensional instability (Marschall and Maringer), June, 374
Ductility
Method for increasing elongation values for ferrous and nonferrous sheet metals (Benedyk, Stawarz, and Parikh), March, 16
Dubuc, J.: *see* Thang, B. Q., Dubuc, J., Bazergui, A., and Biron, A.
Dunn, T.: *see* Berg, C. A., Melton, R., Kalnin, T., and Dunn, T.
Dynamic tests
Mechanical behavior of flexible polyurethane foams under high rate loading (Rao and Hofer), September, 704

E

Elasticity, modulus of
New data on the moduli of elasticity of aluminum alloys (Kaufman, Brownhill, Davies, and Babilon), December, 1001
Elastic properties
Determination of the elastic modulus of soil by the pressure meter test—theoretical background (Livneh, Gellert, and Uzan), June, 348
Effect of extreme cold rolling on the stress relaxation characteristics of CDA copper alloy 510 strip (Fox), June, 422
Measuring stress relaxation by a compliance method (Manjoine), June, 253
Electric heating elements
Metal-metal oxide reactions (Starr), March, 105
Electron microscopes
Structure property relations in beryllium sheet (Cooke, Damiano, London, Conrad, and Banerjee), June, 403
Epoxy laminates
Effect of radiation on the adhesive properties of epoxy-metal and epoxy-glass adhints (Tilmans and Krokosky), June, 483

F

Fabrics
Biaxial stress-strain behavior of fabrics for air supported tents (Skelton), September, 656
Farrar, N. S.: Influence of platen friction on the fracture of brittle materials, December, 889
Fatigue (materials)
Compliance method for crack growth studies at elevated temperatures (McHenry), December, 862
Cumulative fatigue damage under strain controlled conditions (Thang, Dubuc, Bazergui, and Biron), September, 718
Effect of temperature and section size on fatigue crack growth in pressure vessel steel (Clark), March, 134
Fatigue properties of copper bearing steels (Le May), June, 436
Fatigue testing techniques for conditions of biaxial stress, stress concentration, and pure bending (Topper, Havard, Gowda, and Jhansale), December, 842
Note on low cycle fatigue laws (Coffin), June, 388
Fiber composites
Fracture in the grip section of fiber reinforced, reduced cross section tension specimens (Berg, Melton, Kalnin, and Dunn), September, 683

XUM

Fibers
Further considerations—the Almeter (Marechal), June, 332
Flexural strength
Comparing tensile and flexural strengths of a brittle material (Platts and Kirchner), March, 48
Fly ash
Predictions of the effect of fly ash in portland cement mortar and concrete (Minnick, Webster, and Purdy), March, 163
Foundations
Lime stabilized clay foundation (Watt and Machibroda), June, 453
Fox, Alfred: Effect of extreme cold rolling on the stress relaxation characteristics of CDA copper alloy 510 strip, June, 422
Fractures (materials)
Comparing tensile and flexural strengths of a brittle material (Platts and Kirchner), March, 48
Fracture in the grip section of fiber reinforced, reduced cross section tension specimens (Berg, Melton, Kalnin, and Dunn), September, 683
Influence of platen friction on the fracture of brittle materials (Farrar), December, 889
Measuring the tensile strength of a brittle material using a thermal contraction loading device (Kirchner and Rishel), March, 39
Freeman, J. W.: *see* Wilson, D. J., Freeman, J. W., and Voorhees, H. R.
Freeston, W. D., Jr.: *see* Skelton, J. and Freeston, W. D., Jr.
Friele, L. F. C.: Color difference and color tolerance evaluation problems and outlook, December, 755

G

Gallagher, J. P.: Corrosion fatigue crack growth rate behavior above and below K_{Iscc} in steels, December, 941
Gau, F. L. and Olson, R. E.: Uniformity of specimens of a compacted clay, December, 874
Gellert, M.: *see* Livneh, M., Gellert, M., and Uzan, J.
Gillis, P. P. and Medrano, R. E.: Consistency criterion applicable to strain rate and stress relaxation tests, September, 514
Gnaedinger, J. P.: Statistical study of variations in materials and compacted densities by sand-cone and nuclear density methods, December, 818
Gowda, C. V. B.: *see* Topper, T. H., Havard, D. G., Gowda, C. V. B., and Jhansale, H. R.
Granular materials
Density and porosity measurements of solids (Aitcin), June, 282
Size and geometry of granular carbon aggregates (Kerns and Huffstutler), June, 295

H

Hanna, T. H. and Tan, R. H. S.: Load movement behavior of long piles, September, 532
Hardness
Hardness conversion tables for copper (Lysaght), September, 503
Hart, R. R., Chin, G. Y., and Wonsiewicz, B. C.: Critical cold work for age hardening in three commercial copper alloys, December, 1017
Havard, D. G.: *see* Topper, T. H., Havard, D. G., Gowda, C. V. B., and Jhansale, H. R.
Hofer, K. E.: *see* Rao, P. N. and Hofer, K. E.
Huffstutler, M. C., Jr.: *see* Kerns, B. T. and Huffstutler, M. C., Jr.

I

Infrared spectrophotometers
Quantitative analysis of nitrocellulose alkyd lacquers by infrared spectroscopy (Ages and Bowen), December, 766

J

Jessop, E. L., Ward, M. A., and Neville, A. M.: Relation between creep and creep recovery in cement paste, March, 188
Jhansale, H R.: *see* Topper, T. H., Havard, D. G., Gowda, C. V. B., and Jhansale, H. R.

K

Kalnin, I.: *see* Berg, C. A., Melton, R., Kalnin, I., and Dunn, T.
Kassiff, Gabriel and Ben-Shalom, Asher: Apparatus for measuring swell potential under controlled moisture intake, March, 3

XUM

Kaufman, J. G., Brownhill, D. J., Davies, R. E., and Babilon, C. F.: New data on the moduli of elasticity of aluminum alloys, December, 1001
Kerns, B. T. and Huffstutler, M. C., Jr.: Size and geometry of granular carbon aggregates, June, 295
Kirchner, H. P.: *see* Platts, D. R. and Kirchner, H. P.
Kirchner, H. P. and Rishel, P. A.: Measuring the tensile strength of a brittle material using a thermal contraction loading device, March, 39
Kraft, L. M., Jr., and Krishnamurthy, N.: Analytical model for evaluating stress-strain response of soils, December, 800
Krishnamurthy, N.: *see* Kraft, L. M., Jr., and Kirshnamurthy, N.
Krizek, R. J.: *see* Sheeran, D. E. and Krizek, R. J.
Krokosy, E. M.: *see* Tilmans, A. and Krokosky, E. M.

L

Lacquers
Quantitative analysis of nitrocellulose alkyd lacquers by infrared spectroscopy (Ages and Bowen), December, 766
Larson, F. G.: *see* Snape, E. and Larson, G. F.
Laycraft, N. E.: *see* Leitch, H. C. and Laycraft, N. E.
Ledbetter, W. B.: *see* Bynum, D., Jr., Ray, D. R., Ledbetter, W. B., and Boyd, C. L.
Leitch, H. C. and Laycraft, N. C.: Water retention efficiency of membrane curing compounds, September, 606
Le May, I.: Fatigue properties of copper bearing steels, June, 436
Lepper, H. A., Jr., and Rodgers, R. B.: Nuclear methods for determining the water content and unit weight of fresh concrete, December, 826
Light (visible radiation)
Color difference and color tolerance evaluation problems and outlook (Friele), December, 755
Lindholm, U. S., Bessey, R. L., and Smith, G. V.: Effect of strain rate on yield strength, tensile strength, and elongation of three aluminum alloys, March, 119
Liquid saturation
Apparatus for measuring swell potential under controlled moisture intake (Kassiff and Ben-Shalom), March, 3
Correlation of suction curves with the plasticity index of soils (Russell and Mickle), June, 320
Livneh, M., Gellert, M., and Uzan, J.: Determination of the elastic modulus of soil by the pressure meter test—theoretical background, June, 348
Loads (forces)
Load movement behavior of long piles (Hanna and Tan), September, 532
London, G. J.: *see* Cooke, F. W., Damiano, V. V., London, G. J., Conrad, H., and Banerjee, B. R.
Low cycle fatigue
see Fatigue
Lysaght, E. V.: Hardness conversion tables for copper, September, 503

M

Machibroda, P.: *see* Watt, W. G. and Machibroda, P.
Manjoine, M. J.: Measuring stress relaxation by a compliance method, June, 253
Marechal, G.: Further considerations—the Almeter, June, 332
Maringer, R. E.: *see* Marschall, C. W. and Maringer, R. E.
Marschall, C. W. and Maringer, R. E.: Stress relaxation as a source of dimensional instability, June, 374
McHenry, E. R.: New method for determining softening points of pitches, asphalts, and similar materials, March, 30
McHenry, H. I.: Compliance method for crack growth studies at elevated temperatures, December, 862
Medrano, R. E.: *see* Gillis, P. P. and Medrano, R. E.
Melton, R.: *see* Berg, C. A., Melton, R., Kalnin, I., and Dunn, T.
Membranes
Water retention efficiency of membrane curing compounds (Leitch and Laycraft), September, 606
Metal bending
Method for increasing elongation values for ferrous and nonferrous sheet metals (Benedyk, Stawarz, and Parikh), March, 16
Metal sheets
Method for increasing elongation values for ferrous and nonferrous sheet metals (Benedyk, Stawarz, and Parikh), March, 16

Mickle, J. L.: *see* Russell, E. R. and Mickle, J. L.
Micrometers
Calibration of a filar micrometer (Ogburn, shives, and Brady), March, 60
Microscopes
Calibration of a filar micrometer (Ogburn, Shives, and Brady), March, 60
Microstructure
Properties and microstructure of 10Ni-Cr-1Mo-8Co steel (Cox and Rosenstein), September, 738
Minnick, L. J., Webster, W. C., and Purdy, E. J., Jr.: Predictions of the effect of fly ash in portland cement mortar and concrete, March, 163
Mitchell, J. K.: *see* Wang, Mian-Chang and Mitchell, J. K.
Mittal, R. K.: Biaxial loading of aluminum and a generalization of the parabolic law, March, 67
Moisture content
Nuclear methods for determining the water content and unit weight of fresh concrete (Lepper and Rodgers), December, 826
Mortars (materials)
Accelerated strength determination on cement using miniature test cylinders (Zoldners and Carette), March, 82
Influence of washing on properties of standard Ottawa testing sand (Schatzlein and Reitz), March, 218
New technique for analysis of chlorides in mortar (Browne and Bolling), September, 524
Physical aspects of the setting of portland cement concrete (Popovics), March, 150
Predictions of the effect of fly ash in portland cement mortar and concrete (Minnick, Webster, and Purdy), March, 163

N

Neville, A. M.: *see* Jessop, E. L., Ward, M. A., and Neville, A. M.
Nickel-chromium alloys
Metal-metal oxide reactions (Starr), March, 105
Nickel steels
Compliance method for crack growth studies at elevated temperatures (McHenry), December, 862
Influence of alloy additions on quenched and aged high strength nickel steels (DePaul), December, 965
Properties and microstructure of 10Ni-2Cr-1Mo-8Co steel (Cox and Rosenstein), September, 738
Notch tests
Properties and microstructure of 10Ni-2Cr-1Mo-8Co steel (Cox and Rosenstein), September, 738
Nuclear radiation
Nuclear methods for determining the water content and unit weight of fresh concrete (Lepper and Rodgers), December, 826
Statistical study of variations in materials and compacted densities by sand-cone and nuclear density methods (Gnaedinger), December, 818

O

Ogburn, Fielding, Shives, T. R., and Brady, C. H.: Calibration of a filar micrometer, March, 60
Olson, R. E.: *see* Gau, F. L. and Olson, R. E.
Orchard, D. F. and Barnett, A. M.: Electrocuring of concrete test specimens, September, 617
Ore sampling
Gouging abrasion test for materials used in ore and rock crushing: part I—description of the test (Borik and Sponseller), September, 576

P

Parikh, N. M.: *see* Benedyk, J. C., Stawarz, D., and Parikh, N. M.
Particle size distribution
Size and geometry of granular carbon aggregates (Kerns and Huffstutler), June, 295
Pile structures
Load movement behavior of long piles (Hanna and Tan), September, 532
Pitch (materials)
New method for determining softening points of pitches, asphalts, and similar materials (McHenry), March, 30
Plastic deformation
Biaxial loading of aluminum and a generalization of the parabolic law (Mittal), March, 67

XUM

Plastics
Fracture in the grip section of fiber reinforced, reduced cross section tension specimens (Berg, Melton, Kalnin, and Dunn), September, 683
Platts, D. R. and Kirchner, H. P.: Comparing tensile and flexural strengths of a brittle material, March, 48
Polyurethane resins
Mechanical behavior of flexible polyurethane foams under high rate loading (Rao and Hofer), September, 704
Popovics, Sandor: Physical aspects of the setting of portland cement concrete, March, 150
Portland cements
Electrocuring of concrete test specimens (Orchard and Barnett), September, 617
Pozzolans
Predictions of the effect of fly ash in portland cement mortar and concrete (Minnick, Webster, and Purdy), March, 163
Precipitation hardening
Critical cold work for age hardening in three commercial copper alloys (Hart, Chin, and Wonsiewicz), December, 1017
Influence of alloy additions on quenched and aged high strength nickel steels (DePaul), December, 965
Pressure vessels
Effect of temperature and section size on fatigue crack growth in pressure vessel steel (Clark), March, 134
Purdy, E. J., Jr.: *see* Minnick, L. J., Webster, W. C., and Purdy, E. J., Jr.

Q

Quenching (cooling)
Properties and microstructure of 10Ni-2Cr-1Mo-8Co steel (Cox and Rosenstein), September, 738

R

Radiation effects
Effect of radiation on some mechanical properties of an epoxy system (Tilmans and Krokosky), June, 465
Effect of radiation on the adhesive properties of epoxy-metal and epoxy-glass adhints (Tilmans and Krokosky), June, 483
Rao, P. N. and Hofer, K. E.: Mechanical behavior of flexible polyurethane foams under high rate loading, September, 704
Ray, D. R.: *see* Bynum, D., Jr., Ray, D. R., Ledbetter, W. B., and Boyd, C. L.
Refractory metals
Metal-metal oxide reactions (Starr), March, 105
Reimann, W. H.: Room temperature creep in Ti-6A1-4V, December, 926
Retiz, M. T.: *see* Schatzlein, K. J. and Reitz, M. T.
Resendiz, D.: *see* Santoyo, E. and Resendiz, D.
Rishel, P. A.: *see* Kirchner, H. P. and Rishel, P. A.
Rocks
Density and porosity measurements of solids (Aitcin), June, 282
Gouging abrasion test for materials used in ore and rock crushing: part I—description of the test (Borik and Sponseller), September, 576
Rodgers, R. B.: *see* Leppet, H. A., Jr., and Rodgers, R. B.
Rosenstein, A. H.: *see* Cox, T. B. and Rosenstein, A. H.
Rosenstein, A. H.: Interpretation of stress relaxation data for stress relief applications, June, 265
Russell, E. R. and Mickle, J. L.: Correlation of suction curves with the plasticity index of soils, June, 320

S

Sands
Influence of washing on properties of standard Ottawa testing sand (Schatzlein and Reitz), March, 218
Test for validity of indirect tension tests of stabilized soils (Adepegba), September, 555
Santoyo, E. and Resendiz, D.: Precision triaxial cell, December, 788
Schatzlein, K. J. and Reitz, M. T.: Influence of washing on properties of standard Ottawa testing sand, March, 218
Shear properties
Biaxial loading of aluminum and a generalization of the parabolic law (Mittal), March, 67
Sheeran, D. E. and Krizek, R. J.: Preparation of homogeneous soil samples by slurry consolidation, June, 356
Shives, T. R.: *see* Ogburn, Fielding, Shives, T. R., and Brady, C. H.

Shock absorbers
Mechanical behavior of flexible polyurethane foams under high rate loading (Rao and Hofer), September, 704
Skelton, J.: Biaxial stress-strain behavior of fabrics for air supported tents, September, 656
Skelton, J. and Freeston, W. D., Jr.: Strength of textile structures at high strain rates, September, 643
Smith, G. V.: *see* Lindholm, U. S., Bessey, R. L., and Smith, G. V.
Snape, E. and Larson, F. G.: Effects of processing and heat treatment on the properties of two-phase Fe-Cr-Mn-Ni alloys, December, 911
Softening points
New method for determining softening points of pitches, asphalts, and similar materials (McHenry), March, 30
Soil mechanics
Analytical model for evaluating stress-strain response of soils (Kraft and Krishnamurthy), December, 800
Soil properties
Density and porosity measurements of solids (Aitcin), June, 282
Soils
Correlation of suction curves with the plasticity index of soils (Russell and Mickle), June, 320
Determination of the elastic modulus of soil by the pressure meter test—theoretical background (Livneh, Gellert, and Uzan), June, 348
Lime stabilized clay foundation (Watt and Machibroda), June, 453
Load movement behavior of long piles (Hanna and Tan), September, 532
New stress and strain gages for measurements in stabilized soil pavements (Wang and Mitchell), December, 774
Preparation of homogeneous soil samples by slurry consolidation (Sheeran and Krizek), June, 356
Statistical study of variations in materials and compacted densities by sand-cone and nuclear density methods, December, 818
Test for validity of indirect tension tests of stabilized soils (Adepegba), September, 555
Uniformity of specimens of a compacted clay (Gau and Olson), December, 874
Soil tests
Precision triaxial cell (Santoyo and Resendiz), December, 788
Sponseller, D. L.: *see* Borik, F. and Sponseller, D. L.
Springs (elastic)
effect of extreme cold rolling on the stress relaxation characteristics of CDA copper alloy 510 strip (Fox), June, 422
Stabilizers (agents)
Test for validity of indirect tension tests of stabilized soils (Adepegba), September, 555
Stainless steels
Gouging abrasion test for materials used in ore and rock crushing: part II—effect of metallurgical variables on gouging wear (Borik and Scholz), September, 590
Stainless steels, austenitic
Effects of processing and heat treatment on the properties of two-phase Fe-Cr-Mn-Ni alloys (Snape and Larson), December, 911
Stainless steels, ferritic
Effects of processing and heat treatment on the properties of two-phase Fe-Cr-Mn-Ni alloys (Snape and Larson), December, 911
Starr, C. D.: Metal-metal oxide reactions, March, 105
Stawarz, D.: *see* Benedyk, J. C., Stawarz, D., and Parikh, N. M.
Steels
Corrosion fatigue crack growth rate behavior above and below K_{Iscc} in steels (Gallagher), December, 941
Cumulative fatigue damage under strain controlled conditions (Thang, Dubuc, Bazergui, and Biron), September, 718
Effect of temperature and section size on fatigue crack growth in pressure vessel steel (Clark), March, 134
Gouging abrasion test for materials used in ore and rock crushing: part II—effect of metallurgical variables on gouging wear (Borik and Scholz), September, 590
Stiffness
Consistency criterion applicable to strain rate and stress relaxation tests (Gillis and Medrano), September, 514
Strain gages
New stress and strain gages for measurements in stabilized soil pavements (Wang and Mitchell), December, 774

XUM

Strain rate
Consistency criterion applicable to strain rate and stress relaxation tests (Gillis and Medrano), September, 514
Effect of strain rate on yield strength, tensile strength, and elongation of three aluminum alloys (Lindholm, Bessey, and Smith), March, 119
Strains
Cumulative fatigue damage under strain controlled conditions (Thang, Dubuc, Bazergui, and Biron), September, 718
Strain tests
Consistency criterion applicable to strain rate and stress relaxation tests (Gillis and Medrano), September, 514
Stress concentration
Analytical model for evaluating stress-strain response of soils (Kraft and Krishnamurthy), December, 800
Stress relaxation
Stress relaxation as a source of dimensional instability (Marschall and Maringer), June, 374
Interpretation of stress relaxation data for stress relief applications (Rosenstein), June, 265
Measuring stress relaxation by a compliance method (Manjoine), June, 253
Stress relaxation tests
Consistency criterion applicable to strain rate and stress relaxation tests (Gillis and Medrano), September, 514
Interpretation of stress relaxation data for stress relief aplications (Rosenstein), June, 265
Stress-strain diagrams
Biaxial loading of aluminum and a generalization of the parabolic law (Mittal), March, 67
Structural steels
Fatigue properties of copper bearing steels (Le May), June, 436
Interpretation of stress relaxation data for stress relief applications (Rosenstein), June, 265
Surgical implants (materials)
Torsional properties of equine metacarpus (Bynum, Ray, Ledbetter, and Boyd), March, 234
Swelling
Apparatus for measuring swell potential under controlled moisture intake (Kassiff and Ben-Shalom), March, 3

T

Tan, R. H. S.: *see* Hanna, T. H. and Tan, R. H. S.
Telephone transmitters
Size and geometry of granular carbon aggregates (Kerns and Huffstutler), June, 295
Tempering
Properties and microstructure of 10Ni-2Cr-1Mo-8Co steel (Cox and Rosenstein), September, 738
Tensile properties
Biaxial loading of aluminum and a generalization of the parabolic law (Mittal), March, 67
Tensile strength
Comparing tensile and flexural strengths of a brittle material (Platts and Kirchner), March, 48
Effect of strain rate on yield strength, tensile strength, and elongation of three aluminum alloys (Lindholm, Bessey, and Smith), March, 119
Fracture in the grip section of fiber reinforced, reduced cross section tension specimens (Berg, Melton, Kalnin, and Dunn), September, 683
Measuring the tensile strength of a brittle material using a thermal contraction loading device (Kirchner and Rishel), March, 39
Test for validity of indirect tension tests of stabilized soils (Adepegba), September, 555
Tension tests
Biaxial loading of aluminum and a generalization of the parabolic law (Mittal), March, 67
Comparing tensile and flexural strengths of a brittle material (Platts and Kirchner), March, 48
Measuring the tensile strength of a brittle material using a thermal contraction loading device (Kirchner and Rishel), March, 39
Strength of textile structures at high strain rates (Skelton and Freeston), September, 643
Tents
Biaxial stress-strain behavior of fabrics for air supported tents (Skelton), September, 656
Test equipment
Consistency criterion applicable to strain rate and stress relaxation tests (Gillis and Medrano), September, 514

Textile processes
Further considerations—the Almeter (Marechal), June, 332
Thang, B. Q., Dubuc, J., Bazergui, A., and Biron, A.: Cumulative fatigue damage under strain controlled conditions, September, 718
Tilmans, A. and Krokosky, E. M.: Effect of radiation on the adhesive properties of epoxy-metal and epoxy-glass adhints, June, 483
Tilmans, A. and Krokosky, E. M.: Effect of radiation on some mechanical properties of an epoxy system, June, 465
Titanium alloys
Room temperature creep in Ti-6Al-4V (Reimann), December, 926
Topper, T. H., Havard, D. G., Gowda, C. V. B., and Jhansale, H. R.: Fatigue testing techniques for conditions of biaxial stress, stress concentration, and pure bending, December, 842
Torsional strength
Torsional properties of equine metacarpus (Bynum, Ray, Ledbetter, and Boyd), March, 234
Torsion tests
Biaxial loading of aluminum and a generalization of the parabolic law (Mittal), March, 67
Triaxial tests
Precision triaxial cell (Santoyo and Resendiz), December, 788

U

Uzan, J.: *see* Livneh, M., Gellert, M., and Uzan, J.

V

Voorhees, H. R.: *see* Wilson, D. J., Freeman, J. W., and Voorhees, H. R.

W

Wang, Mian-Chang and Mitchell, J. K.: New stress and strain gages for measurements in stablized soil pavements, December, 774
Ward, M. A.: *see* Jessop, E. L., Ward, M. A., and Neville, A. M.
Water loss
Water retention efficiency of membrane curing compounds (Leitch and Laycraft), September, 606
Watstein, D.: Relation of unrestrained compressive strength of brick to strength of masonry, June, 304
Watt, W. G. and Machibroda, P.: Lime stabilized clay foundation, June, 453
Wear resistance
Gouging abrasion test for materials used in ore and rock crushing: part I—description of the test (Borik and Sponseller), September, 576
Gouging abrasion test for materials used in ore and rock crushing: part II—effect of metallurgical variables on gouging wear (Borik and Scholz), September, 590
Webster, W. C.: *see* Minnick, L. J., Webster, W. C., and Purdy, E. J., Jr.
Weld metals
Interpretation of stress relaxation data for stress relief applications (Rosenstein), June, 265
Wilson, D. J., Freeman, J. W., and Voorhees, H. R.: Creep rupture testing of aluminum alloys to 100,000 hours, December, 981
Wonsiewicz, B. C.: *see* Hart, R. R., Chin, G. Y., and Wonsiewicz, B. C.
Woven fabrics
Strength of textile structures at high strain rates (Skelton and Freeston), September, 643

Y

Yield strength
Effect of strain rate on yield strength, tensile strength, and elongation of three aluminum alloys (Lindholm, Bessey, and Smith), March, 119
Properties and microstructure of 10Ni-2Cr-1Mo-8Co steel (Cox and Rosenstein), September, 738

Z

Zoldners, N. G. and Carette, G. G.: Accelerated strength determination on cement using miniature test cylinders, March, 82

XUM